

SAFETY DATA SHEET

GLASSPRO STAINED GLASS CEMENT

DATE REVISED: November 30, 2020

Product Name: GlassPro Stained Glass Cement (Item # 5208)

Manufacturer: Creative Craftsmen Co., Inc. 27625 Diehl Road, Warrenville, IL 60555

Emergency Phone Number: (888) 215-4878

Other Information Calls: (630) 836-1353 Toll Free: (800) 323-5668

To the Purchaser: This SDS contains important environmental, health, and toxicology information for your employees who have ordered this product. Please be sure this information is given to them. If you resell this product, a copy of the SDS should be given to the buyer.

SECTION I - IDENTIFICATION

Common Name: GlassPro Stained Glass Cement

CAS Number: NA

Chemical Family: Stained Glass Cement

Chemical Name: NA

Formula: See below

SECTION II – HAZARDS IDENTIFICATION

GHS Classification:

Flammable liquids (Category 3), H226

Acute toxicity - Oral (Category 4), H302

Acute toxicity - Inhalation (Category 4), H302

Acute toxicity - Dermal (Category 4), H302

Skin irritation (Category 2), H315

Eye irritation (Category 2A), H319

Skin sensitization (Category 1), H317

Aspiration hazard (Category 1), H304

Acute aquatic toxicity (Category 2), H401

Chronic aquatic toxicity (Category 2), H411

Label Elements

Pictogram(s):



Signal Word: Danger

Hazard Statement(s)

H226 Flammable liquid and vapor.

H302 Harmful if swallowed, in contact with skin or if inhaled

H304 May be fatal if swallowed and enters airways.

H315 Causes skin irritation.

H317 May cause an allergic skin reaction.

H319 Causes serious eye irritation.

H401 Toxic to aquatic life

H411 Toxic to aquatic life with long lasting effects

Precautionary statement(s)

P210 Keep away from open flames. No smoking.

P233 Keep container tightly closed.

P242 Use only non-sparking tools.

P261 Avoid breathing vapors

P264 Wash skin thoroughly after handling.

P270 Do not eat, drink or smoke when using this product.

P271 Use only outdoors or in a well-ventilated area.

P273 Avoid release to the environment.

P280 Wear protective gloves.

P301+P310 IF SWALLOWED: Immediately call a doctor.

P303+P361+P353 IF ON SKIN (or hair): Remove all contaminated clothing. Rinse skin with water.
P304+P340 IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.
P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P312 Call a doctor if you feel unwell.
P333+P313 If skin irritation or rash occurs: Get medical advice.
P337+P313 If eye irritation persists: Get medical attention.
P362 Take off contaminated clothing and wash before reuse.
P370+P378 In case of fire: Use dry sand, dry chemical or alcohol-resistant foam for extinction.
P391 Collect spillage.
P403+P235 Store in a well-ventilated place. Keep cool.
Hazards not otherwise classified or not covered by GHS: None

SECTION III- COMPOSITION INFORMATION

Components	CAS Number	%	OSHA PEL
Calcium Carbonate	1317-65-3	60-80	5.0 mg/m ³
Turpentine	8006-64-2	1-5	5.0 mg/m ³

Unlisted percentages are non-hazardous stabilizers, and water. None of the materials in this product are listed in NTP, IARC, or OSHA as carcinogens.

SECTION IV – FIRST AID MEASURES

Inhalation: Remove to fresh air
Eyes: Flush with water for fifteen (15) Minutes. Call physician.
Skin: Wash thoroughly with water.
Ingestion: If patient is fully conscious, give large amounts of water. Obtain medical attention immediately.

Most Important Symptoms and effects, both acute and delayed

Primary Routes of Entry into Body: Fume inhalation, ingestion, skin, and eyes.

Symptoms of Overexposure: Salivation, coughing, choking, chills, may cause weight loss, brittle bones, anemia, and stiff joints.

Medical Conditions Generally Aggravated by Exposure: Any weakness of the lungs, kidneys or liver will be aggravated.

Chemical Listed as Carcinogen or Potential Carcinogen: None

OSHA Permissible Exposure Limit (PEL): NA

ACGIH Threshold Limit Value (TLV): NA

SECTION V - FIRE AND EXPLOSION HAZARD DATA

Flash Point: (Method Used): None

Flammable Limits: Lower-NA, Upper-NA

Extinguishing Media: Not needed

Auto Ignition Temperature: None

Special Fire Fighting Procedures: Normal caution when using chemicals

Unusual Fire and Explosion Hazards: NA

SECTION VI - ACCIDENTAL RELEASE MEASURES

Steps to be taken in case material is spilled: Clean up paste and flush remaining material with lots of water.

SECTION VII - HANDLING AND STORAGE

Precautions to be Taken in Handling and Storage: Store in plastic containers in cool area. Do not store in glass or porcelain container. Wash thoroughly after use.

Work/Hygienic Practices: Avoid contact with skin, eyes and Clothing.

Other Precautions: Keep container away from excessive heat

SECTION VIII - CONTROL MEASURES

Ventilation: Yes

Local Exhaust: Yes

Protective Gloves: NIOSH approved recommended

Eye Protection: Safety goggles

Mechanical (General): Yes

Respiratory Protection (Type): NIOSH approved respirator in the absence of proper ventilation system.

Other Protective Clothing or Equipment: Rubber apron recommended.

SECTION IX - PHYSICAL AND CHEMICAL CHARACTERISTICS

Boiling Point: NA

Specific Gravity (Water = 1): NA

Vapor Pressure (mm Hg): NA

Vapor Density (Air = 1): NA

Evaporation Rate (Butyl Acetate = 1): NA

Melting Point: NA

Solubility in Water: Moderate

Reactivity in Water: None

Appearance and Odor: Black, kerosene odor paste

SECTION X - STABILITY AND REACTIVITY

Stability: Product is stable **(Conditions to Avoid):** Avoid heat sparks and open flames

Incompatibility: Strong oxidizers.

Hazardous Decomposition Products: CO.

Hazardous Polymerization: NA

SECTION XI - TOXICOLOGICAL INFORMATION

Acute Toxicity Data

- 1) **Oral:** LD-50 (rat): Not available
- 2) **Inhalation:** LC-50 (rat): Not available
- 3) **Dermal:** LD-50 (rabbit): Not available
- 4) **Skin Irritation:** (rabbit): Not available

Chronic Toxicity Data

- 1) **Repeated Skin Application:** (rat): Not available
 - 2) **Eye Irritation:** (rabbit): Not available
-

SECTION XII - ECOLOGICAL INFORMATION

This material has not been tested for environmental effects.

SECTION XIII - DISPOSAL CONSIDERATIONS

Waste Disposal Method: Dispose of in accordance with EPA regulations

SECTION XIV- TRANSPORTATION

D.O.T. Proper Shipping Name: Flammable Solid Organic

Hazard Class: 4.1

Identification Number: UN1325

Packing Group: III

Type D.O.T Label Required Information: NA

Waste Disposal Method: Dispose in accordance with EPA regulations

SECTION XV - REGULATORY INFORMATION

OSHA Hazardous Chemical According to 29 CFR 1910.1200: NA

Carcinogenicity Classification: (Components Present at 0.1% or More)

International Agency for Research on Cancer (IARC): NA

American Conference of Governmental Industrial Hygienists (ACGIH): NA

National Toxicology Program (NTP): NA

Occupational Safety and Health Administration (OSHA): NA

All Components of this Product are Listed on the U.S. Toxic Substances Control Act Inventory or Otherwise Comply with TSCA Pre-manufacture Notification Requirements.

This product is RoHS compliant.

SECTION XVI - OTHER INFORMATION

HMIS Rating

Health 2

Flammability 2

Reactivity 0

Further information:

Judgments as to the suitability of information herein or the purchaser's purposes are necessarily the purchaser's responsibility. The above information does not represent any guarantee of the properties of the product. It is believed to be correct, but does not purport to be all inclusive and should be used only as a guide. Reasonable care has been taken in the preparation of this material, and is based on the present state of our knowledge.

Creative Craftsmen Co., Inc. shall not be held liable for any damage resulting from handling or from contact with the above product.

Preparation information

Creative Craftsmen Co., Inc.

800-323-5668

Version 3.0

Revision Date: 11/30/2020