

<b>MATERIAL DATA SAFETY SHEET</b> May be used to comply with OSHA's Hazard Communication Standard, 29 CFR 1910.1200. Standard must be consulted for specific requirements.	<b>U.S. DEPARTMENT OF LABOR</b> Occupational Health and Safety Administration (Non-Mandatory Form) Form Approved OMB No. 1218-0072
---	--

<b>Glass Colors</b>	<b>G500 thru G518, G550, G551, G600</b>
---------------------	---

**SECTION I:**

Manufacturer's Name: Creative Paradise, Inc.	Emergency Telephone Number: (316) 794-8621
Address: 415 Industrial	Telephone Number for Information: (316) 794-8621
Goddard, KS. 67052	Prepared By: MSDS Department      Date: 1/20/08

**SECTION II: HAZARDOUS INGREDIENTS/IDENTITY INFORMATION**

Hazardous Components	CSA#	OSHA PEL	ACGIH TLV	Other limits	%
Crystalline Silica	14808-60-7	10 mg/m3	.1mg/m3		
Crystalline Silica only becomes a hazard when the glazes are dried and dispersed in the air or when this product is sprayed.					

**SECTION III: PHYSICAL/CHEMICAL CHARACTERISTICS**

<b>Boiling Point:</b>	212° F	<b>Specific Gravity (H<sub>2</sub>O=1)</b>	1.7
<b>Vapor Pressure (mm Hg):</b>	N/A	<b>Melting Point:</b>	1800°
<b>Vapor Density (Air=1):</b>	N/A	<b>Evaporation Rate (Butyl Acetate=1)</b>	N/A
<b>Solubility in Water:</b> N/A			
<b>Appearance and Odor:</b> Colored viscous liquid. No odor.			

**SECTION IV: FIRE AND EXPLOSION HAZARD DATA**

<b>Flash Point (Method used):</b> Non-flammable	<b>Flammable Limits:</b> N/A	<b>LEL:</b> N/A	<b>UEL:</b> N/A
---	------------------------------	-----------------	-----------------

## SECTION V: REACTIVITY DATA

PRODUCT: GC Non-Toxic Series - Glass Separator - Free

Stability	Unstable		Conditions To Avoid: None
	Stable	X	
Incompatibility (Materials to Avoid): None			
Hazardous Decomposition or Byproducts: None			
Hazardous Polymerization	Unstable		Conditions to Avoid: None
	Stable	X	

## SECTION VI: HEALTH HAZARD DATA

Route(s) of Entry:	Inhalation? Dust and Mists only.	Skin? No	Ingestion? No
<p><b>Health Hazards(Acute and Chronic):</b> Silica is not a hazard unless product is reduced to a dust and dispersed in the air, or product is applied by spraying. Prolonged inhalation of silica dust or mists, over an extended period of time may result in injury to the lungs or Silicosis.</p>			
.			
Carcinogenicity:	NTP? No	OSHA Regulated? No	IARC Monographs? No
<b>Signs and Symptoms of Exposure:</b>			
<b>Medical Symptoms Aggravated by Exposure:</b> Abrasive, can irritate eyes.			
<b>Emergency and First Aid Procedures:</b> <u>Eye Contact</u> – Flush with water for 15 minutes.			
<u>Skin Contact</u> – Wash with mild soap and water.			

## SECTION VII: PRECAUTIONS FOR SAFE HANDLING AND USE

<b>Steps to be taken in Case Material is Released or Spilled:</b> Uncontaminated material may be recovered and used, otherwise clean up with damp paper towels and dispose of in trash receptacle.
<b>Waste Disposal Method:</b> Dispose of according to State and Federal regulations
<b>Other Precautions:</b> If spraying, the use of a NIOSH approved respirator for dust and mists is required.
<b>Precautions to be Taken in Handling and Storing:</b> Protect from freezing. Close lid tightly to prevent material from

