

I. CHEMICAL PRODUCT AND COMPANY IDENTIFICATION

SAFETY DATA SHEET

- NEVERLAND GLASS
6667 State Hwy 173
Cape Fair, Missouri 65624

I. PHYSICAL DATA

PRODUCT NAME: Mark Stay II
CHEMICAL FAMILY: Corrosion Inhibitor
FORMULA: Trade Secret

INFORMATION PHONE: 1-417-538-0006

EMERGENCY PHONE: 1-417-538-0006

I. HAZARDOUS IDENTIFICATION

NFPA RATING (SCALE 0-4) Health = 1 Flammability = 1 Reactivity = 0

EMERGENCY OVERVIEW: Do not ingest. Do not inhale dust. Use adequate ventilation and wash after handling.

GHS CLASSIFICATION:

<u>Health</u>	<u>Environmental</u>
Eye Irritation: Cat. 2B	Chronic Aquatic Toxicity: Not established
Skin Irritation: Cat. 3	

GHS LABEL ELEMENTS:

Symbol(s):

No symbol

Signal Word

Warning

Hazard Statements

May be harmful if swallowed. May cause skin and eye irritation.

Precautionary Statements

Wear protective gloves/protective clothing/eye protection/face protection IF ON SKIN: Wash with plenty of soap and water. IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If exposed or you feel unwell: Call a doctor/physician.

I. COMPOSITION/ INFORMATION ON INGREDIENTS

COMPONENT: Trade Secret

CAS NUMBER:

Slack Wax	64742-61-6	>50%
Common Degras	8020-84-6	>10%

I. FIRST AID MEASURES

EYE CONTACT: Wash eyes with water for at least 30 minutes. If irritation persists, get medical attention.

SKIN CONTACT: Wash affected area with soap and water for approximately 30 minutes

INHALATION: Remove exposed person to fresh air.

INGESTION: Do not induce vomiting. Get immediate medical attention.

I. FIRE FIGHTING MEASURES

EXTINGUISHING MEDIA: Use carbon dioxide, foam, sand or sodium bicarbonate.

SPECIAL FIRE FIGHTING

PROCEDURES: Avoid breathing vapors or dusts. Use self-contained breathing apparatus with full face piece and protective clothing.

UNUSUAL FIRE AND EXPLOSIVE

HAZARDS: None known.

I. ACCIDENTAL RELEASE MEASURES

IF MATERIAL IS RELEASED OR SPILLED: Contain spill and transfer to suitable containers.

Stop leak if you can do it without risk.

Small Spills: Absorb with earth, sand or other non-combustible material and transfer to

containers for later disposal. If material is too viscous for pumping scrape it up with shovels into suitable containers for recycle or disposal.

Large Spills: Dike far ahead of spill for later recovery and disposal. Prevent entry into waterways, sewers, basements or confined areas.

I. HANDLING AND STORAGE

STORAGE: Observe all federal, state and local regulations when storing or disposing of this substance. Keep away from incompatible substances.

Use good engineering practices to establish good ventilation. Avoid contact with skin, eyes and clothing. Wear suitable protective equipment to protect from contact. Avoid breathing mist or vapors. Wash skin thoroughly after handling. Store in closed containers away from extreme heat, sparks, open flame or oxidizing materials.

I. EXPOSURE CONTROLS/ PERSONAL PROTECTION

SKIN PROTECTION: Wear appropriate protective gloves to prevent direct contact.

EYE PROTECTION: Wear safety goggles to prevent eye contact with substance.

RESPIRATORY PROTECTION: Under certain circumstances where airborne concentration are expected to exceed exposure limits, select a NIOSH/MSHA approved respirator based on actual or potential airborne concentrations and in accordance with the appropriate regulatory standards and/or industrial recommendations.

OTHER PROTECTIVE

EQUIPMENT: Impervious apron if needed to avoid prolonged or repeated skin contact.

ENGINEERING

CONTROLS: Good general ventilation and/or local exhaust ventilation at the point of generation is recommended.

PERSONAL PROTECTIVE EQUIPMENT (Pictograms):

I. PHYSICAL AND CHEMICAL PROPERTIES

SOLUBILITY IN WATER: Insoluble

SPECIFIC GRAVITY: 0.8-0.9

PERCENT VOLATILE

BY VOLUME: Nil

No information available.

I. DISPOSAL INFORMATION

WASTE DISPOSAL: Treatment, storage, transportation, and disposal must be in accordance with applicable federal, state and local regulations.

I. TRANSPORTATION INFORMATION

No classifications currently assigned.

I. REGULATORY INFORMATION

SECTION 302 EXTREMELY HAZARDOUS CHEMICALS:

<u>Component</u>	<u>CAS#</u>	<u>% by Wt.</u>
None		

SECTION 313 TOXIC CHEMICALS:

<u>Component</u>	<u>CAS#</u>	<u>% by Wt.</u>
None		

SARA TITLE III:

ACUTE (IMMEDIATE HEALTH HAZARD): No

CHRONIC (DELAYED HEALTH HAZARD): No

SUDDEN PRESSURE RELEASE: No

FIRE HAZARD: No

REACTIVE HAZARD: No

CERCLA (Comprehensive Environment Response, Compensation and Liability Act):

There is no calculable reportable quantity (RQ) for this product.

CLEAN WATER ACT: Under section 311 (b) (4) of this act, contamination of surface waters by petroleum products must be reported immediately to the National Response Center.

I. OTHER INFORMATION

TSCA (TOXIC SUBSTANCE CONTROL ACT) STATUS:

All components of this formula are included in the TSCA inventory. This product does

not contain nor was manufactured with Class 1 or 11 ozone depleting chemicals, Section 611 of the Clean Air Act.

HEALTH HAZARD

- 4-Deadly
- 3- Extreme Danger
- 2- Hazardous
- 1-Slightly Hazardous change
- 0-Normal Material

**NFPA
FIRE HAZARD**

- Flash Points
- 4-Below 73°F
- 3-Below 100°F
- 2-Above 100°F, Not exceeding 200°F
- 1-Above 200°F
- 0-Will not burn

REACTIVITY

- 4-May detonate
- 3-Shock and heat may detonate
- 2-Violent chemical
- 1-Unstable if heated
- 0-Stable

Table 3.8 Acute Toxicity

Acute toxicity	Cat. 1	Cat. 2	Cat. 3	Cat. 4	Category 5
----------------	--------	--------	--------	--------	------------

Oral (mg/kg)	≤ 5	> 5 ≤ 50	> 50 ≤ 300	> 300 ≤ 2000	Criteria: <input type="checkbox"/> Anticipated oral LD50 between 2000 and 5000 mg/kg; <input type="checkbox"/> Indication of significant effect in humans;* <input type="checkbox"/> Any mortality at class 4;* <input type="checkbox"/> Significant clinical signs at class 4;* <input type="checkbox"/> Indications from other studies.* *If assignment to more hazardous class is not warranted.
	Dermal (mg/kg)	≤ 50	> 50 ≤ 200	> 200 ≤ 1000	> 1000 ≤ 2000
	Gases (ppm)	≤ 100	> 100 ≤ 500	> 500 ≤ 2500	> 2500 ≤ 5000
	Vapors (mg/l)	≤ 0.5	> 0.5 ≤ 2.0	> 2.0 ≤ 10	> 10 ≤ 20
	Dust & mists (mg/l)	≤ 0.05	> 0.05 ≤ 0.5	> 0.5 ≤ 1.0	> 1.0 ≤ 5

Figure 4.11

ACUTE ORAL TOXICITY - Annex 1					
	Category 1	Category 2	Category 3	Category 4	Category 5

LD ₅₀	£ 5 mg/kg	> 5 < 50 mg/kg	³ 50 < 300 mg/kg	³ 300 < 2000 mg/kg	³ 2000 < 5000 mg/kg
Pictogram					No symbol
Signal word	Danger	Danger	Danger	Warning	Warning
Hazard statement	Fatal if swallowed	Fatal if swallowed	Toxic if swallowed	Harmful if swallowed	May be harmful if swallowed

Table 3.9 Skin Corrosion/Irritation

Skin Corrosion Category 1	Skin Irritation Category 2	Mild Skin Irritation Category 3
Destruction of dermal tissue: visible necrosis in at least one animal	Reversible adverse effects in dermal tissue Draize score: ≥ 2.3 < 4.0 or persistent inflammation	Reversible adverse effects in dermal tissue Draize score: ≥ 1.5 < 2.3
Subcategory 1A Exposure < 3 min. Observation < 1hr,	Subcategory 1B Exposure < 1hr. Observation < 14 days	Subcategory 1C Exposure < 4 hrs. Observation < 14 days

Table 3.10 Eye Effects

Category 1 Serious eye damage	Category 2 Eye Irritation
Irreversible damage 21 days after exposure Draize score: Corneal opacity ≥ 3 Iritis > 1.5	Reversible adverse effects on cornea, iris, conjunctiva Draize score: Corneal opacity ≥ 1 Iritis > 1 Redness ≥ 2 Chemosis ≥ 2
Irritant Subcategory 2A Reversible in 21 days	Mild Irritant Subcategory 2B Reversible in 7 days

Figure 4.9

GHS Pictograms and Hazard Classes		
[?] Oxidizers	[?] Flammables [?] Self Reactives [?] Pyrophorics [?] Self-Heating [?] Emits Flammable Gas [?] Organic Peroxides	[?] Explosives [?] Self Reactives [?] Organic Peroxides
[?] Acute toxicity (severe)	[?] Corrosives	[?] Gases Under Pressure

<input type="checkbox"/> Carcinogen		<input type="checkbox"/> Irritant
<input type="checkbox"/> Respiratory Sensitizer		<input type="checkbox"/> Dermal Sensitizer
<input type="checkbox"/> Reproductive Toxicity	<input type="checkbox"/> Environmental Toxicity	<input type="checkbox"/> Acute toxicity (harmful)
<input type="checkbox"/> Target Organ Toxicity		<input type="checkbox"/> Narcotic Effects
<input type="checkbox"/> Mutagenicity		<input type="checkbox"/> Respiratory Tract
<input type="checkbox"/> Aspiration Toxicity		<input type="checkbox"/> Irritation

Figure 4.10

Transport "Pictograms"		
Flammable Liquid Flammable Gas Flammable Aerosol	Flammable solid Self- Reactive Substances	Pyrophorics (Spontaneously Combustible) Self- Heating Substances
Substances, which in contact with water, emit flammable gases (Dangerous When Wet)	Oxidizing Gases Oxidizing Liquids Oxidizing Solids	Explosive Divisions 1.1, 1.2, 1.3
Explosive Division 1.4	Explosive Division 1.5	Explosive Division 1.6
Compressed Gases	Acute Toxicity (Poison): Oral, Dermal, Inhalation	Corrosive
Marine Pollutant	Organic Peroxides	

The information appearing in this document is based upon data obtained from raw material manufacturers and/or recognized technical sources. While this information is believed to be correct, NEVERLAND GLASS makes no representations as to its accuracy or sufficiency, usage or the hazards connected with the use of this material. Since this product may be applied under conditions unfamiliar to us or beyond our control, we claim no responsibility for the results of its use, and users are responsible for the verification of this information under their own operating conditions to determine whether the product is suitable for their particular purposes, and these users assume all risks of their use, handling, and disposal of the product. This information relates only to the product designated above and does not relate to its use in combination with any other process.

NEVERLAND GLASS
Revision Date: 6/22/2015