

# Safety Data Sheet

## Waste Treatment Clay – C1182

SDS Revision Date:

5/20/2017

### 1. Identification

#### 1.1. Product identifier

**Product Identity** Waste Treatment Clay – C1182  
**Alternate Names** Waste Treatment Clay – C1182

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

**Intended use** Commercial mirroring.

#### 1.3. Details of the supplier of the safety data sheet

**Company Name** Angel Gilding  
1945 Gardner Rd.  
Broadview IL 60155 USA

#### Emergency

**24 hour Emergency Telephone** 708-383-3340

**Customer Service: Angel Gilding** 708-383-3340

### 2. Hazard(s) identification

**Physical hazards** Not classified

**Health hazards** Not classified

**Environmental hazards** Not classified

**OSHA defined hazards** Not classified

#### Label elements

**Hazard symbol** None

**Signal word** None

**Hazard statement** The mixture does not meet the criteria for classification.

#### Precautionary statement

**Prevention** Observe good industrial hygiene practices.

**Response** Wash hands after handling.

**Storage** Store away from incompatible materials.

**Disposal** Dispose of waste and residues in accordance with local authority requirements.

**Hazard(s) not otherwise classified (HNOC)** None known

**Supplemental information** Not applicable

# Safety Data Sheet

## Waste Treatment Clay – C1182

SDS Revision Date:

5/20/2017

### 3. Composition/information on ingredients

Chemical name	CAS Number	%
Aluminum sulfate hydrate	17927-65-0	2.4
Other components below reportable levels		97.6
Quartz	14808-60-7	

#### Composition comments

Occupational Exposure Limits for impurities are listed in Section 8. This product contains naturally occurring crystalline silica (not listed in Annex I of Directive 67/548/EEC) in quantities less than 6%.

### 4. First aid measures

#### Inhalation

If exposed to excessive levels of dusts or fumes, remove to fresh air and get medical attention if cough or other symptoms develop. If not breathing, give artificial respiration or give oxygen by trained personnel.

#### Skin contact

Immediately flush skin with running water for at least 20 minutes. Get medical attention if irritation develops or persists.

#### Eye contact

Immediately flush eyes with plenty of water for at least 20 minutes. Get medical attention if irritation develops or persists.

#### Ingestion

Have victim rinse mouth thoroughly with water. If ingestion of a large amount does occur, seek medical attention.

#### Most important symptoms/effects, acute and delayed

Direct contact with eyes may cause temporary irritation.

#### Indication of immediate medical attention and special treatment needed

Treat symptomatically.

#### General information

If you feel unwell, seek medical advice (show the label where possible).

### 5. Fire-fighting measures

#### Suitable extinguishing media

Water fog. Foam. Dry chemical powder. Dry chemical, CO<sub>2</sub>, water spray or regular foam. Carbon dioxide (CO<sub>2</sub>).

#### Unsuitable extinguishing media

None known

# Safety Data Sheet

## Waste Treatment Clay – C1182

SDS Revision Date:

5/20/2017

### Specific hazards arising from the chemical

During fire, gases hazardous to health may be formed.

### Special protective equipment and precautions for firefighters

Material can be slippery when wet

### Firefighting equipment/instructions

In the event of fire, cool tanks with water spray.

### Specific methods

Cool containers exposed to flames with water until well after the fire is out

### General fire hazards

No unusual fire or explosion hazards noted.

## 6. Accidental release measures

### Personal precautions, protective equipment and emergency procedures

Keep unnecessary personnel away. Material can be slippery when wet. Local authorities should be advised if significant spillages cannot be contained. For personal protection, see section 8 of the SDS.

### Methods and materials for containment and cleaning up

Stop leak if you can do so without risk. Sweep up or gather material and place in appropriate container for disposal. Avoid the generation of dusts during clean-up. Following product recovery, flush area with water. For waste disposal, see section 13 of the SDS. Large spills may be neutralized with dilute alkaline solutions of soda ash, or lime.

### Environmental precautions

Do not contaminate water.

## 7. Handling and storage

### Precautions for safe handling

Keep formation of airborne dusts to a minimum. Provide appropriate exhaust ventilation at places where dust is formed. In case of insufficient ventilation, wear suitable respiratory equipment. Avoid release to the environment

### Conditions for safe storage, including any incompatibilities

No special restrictions on storage with other products. Store in original tightly closed container. No special storage conditions required. Store away from incompatible materials (see Section 10 of the SDS)

# Safety Data Sheet

## Waste Treatment Clay – C1182

SDS Revision Date:

5/20/2017

### 8. Exposure controls and personal protection

#### Occupational exposure limits

##### US. OSHA Table Z-3 (29 CFR 1910.1000)

Impurities	Type	Value	Form
INERT OR NUISANCE DUSTS	TWA	5 mg/m <sup>3</sup>	Respirable fraction.
		15 mg/m <sup>3</sup>	Total dust.
		50 mppcf	Total dust.
		15 mppcf	Respirable fraction.
QUARTZ (CAS 14808-60-7)	TWA	0.3 mg/m <sup>3</sup>	Total dust.
		0.05 mg/m <sup>3</sup>	Respirable.
		2.4 mppcf	Respirable.
US. ACGIH Threshold Limit Values			

##### US. ACGIH Threshold Limit Values

Impurities	Type	Value	Form
QUARTZ (CAS 14808-60-7)	TWA	0.025 mg/m <sup>3</sup>	Respirable fraction.

#### Biological limit values

No biological exposure limits noted for the ingredient(s).

#### Exposure guidelines

Occupational exposure to nuisance dust (total and respirable) and respirable crystalline silica should be monitored and controlled.

#### Appropriate engineering controls

If material is ground, cut, or used in any operation which may generate dusts, use appropriate local exhaust ventilation to keep exposures below the recommended exposure limits. If engineering measures are not sufficient to maintain concentrations of dust particulates below the OEL, suitable respiratory protection must be worn.

#### Individual protection measures, such as personal protective equipment

##### Eye/face protection

Wear dust goggles. Eye wash fountain is recommended.

##### Skin protection

###### Hand protection

Impervious butyl rubber gloves

###### Other

Normal work clothing (long sleeved shirts and long pants) is recommended.

##### Respiratory protection

Use a particulate filter respirator for particulate concentrations exceeding the Occupational Exposure Limit.

# Safety Data Sheet

## Waste Treatment Clay – C1182

SDS Revision Date:

5/20/2017

### Thermal hazards

Wear appropriate thermal protective clothing, when necessary

### General hygiene considerations

Handle in accordance with good industrial hygiene and safety practice.

## 9. Physical and chemical properties

### Appearance

Physical state	Solid
Color	Tan
Form	Powder or granular
Odor	None
Odor threshold	Not available.
pH	3.5
Melting point	Not available.
Boiling point	Not available.
Flash point	Not available.
Auto-ignition temperature	Not available.
Decomposition temperature	Not available.
Flammability (solid, gas)	Not available.
Lower and upper explosive (flammable) limits	Not available.
Evaporation rate	Not available.
Vapor pressure	0.00004 hPa estimated
Vapor density	Not available.
Relative density	Not available.
Density ( lbs / gal )	10.35
Solubility (water)	100%
Partition coefficient: n- octanol/water	Not available.
Viscosity	Not available.
Volatility	0% estimated
VOC (Weight %)	CARB

## 10. Stability and reactivity

### Reactivity

The product is stable and non-reactive under normal conditions of use, storage and transport.

### Chemical stability

Stable at normal conditions

### Possibility of hazardous reactions

Will not occur Hazardous polymerization does not occur.

# Safety Data Sheet

## Waste Treatment Clay – C1182

SDS Revision Date:

5/20/2017

### Conditions to avoid

Contact with incompatible materials.

### Incompatible materials

None known

### Hazardous decomposition products

None known

## 11. Toxicological information

### Information on likely routes of exposure

<b>Inhalation</b>	No adverse effects due to inhalation are expected.
<b>Skin contact</b>	Not available
<b>Eye contact</b>	Direct contact with eyes may cause temporary irritation
<b>Ingestion</b>	Expected to be a low ingestion hazard

### Symptoms related to the physical, chemical and toxicological characteristics

Direct contact with eyes may cause temporary irritation

### Respiratory or skin sensitization

<b>Respiratory sensitization</b>	Not available.
<b>Skin sensitization</b>	This product is not expected to cause skin sensitization.

**Germ cell mutagenicity** No data available to indicate product or any components present at greater than 0.1% are mutagenic or genotoxic

### Carcinogenicity

In June 2003, SCOEL (the EU Scientific Committee on Occupational Exposure Limits) concluded that the main effect in humans of the inhalation of respirable crystalline silica dust is silicosis. "There is sufficient information to conclude that the relative risk of lung cancer is increased in persons with silicosis (and, apparently, not in employees without silicosis exposed to silica dust in quarries and in the ceramic industry). Therefore, preventing the onset of silicosis will also reduce the cancer risk..." (SCOEL SUM Doc 94-final, June 2003) According to the current state of the art, worker protection against silicosis can be consistently assured by respecting the existing regulatory occupational exposure limits. Occupational exposure to respirable dust and respirable crystalline silica should be monitored and controlled. This product is not considered to be a carcinogen by IARC, ACGIH, NTP, or OSHA.

### IARC Monographs. Overall Evaluation of Carcinogenicity

QUARTZ (CAS 14808-60-7) 1 Carcinogenic to humans

### US. National Toxicology Program (NTP) Report on Carcinogens

QUARTZ (CAS 14808-60-7) Known To Be Human Carcinogen.

### Reproductive toxicity

This product is not expected to cause reproductive or developmental effects.

**Specific target organ toxicity - single exposure** Not classified.

# Safety Data Sheet

## Waste Treatment Clay – C1182

SDS Revision Date:

5/20/2017

**Specific target organ toxicity - repeated exposure** Not classified.

**Aspiration hazard** Not available

**Chronic effects** Occupational exposure to nuisance dust (total and respirable) and respirable crystalline silica should be monitored and controlled. According to the current state of the art, worker protection against silicosis can be consistently assured by respecting the existing regulatory occupational exposure limits.

## 12. Ecological information

### Ecotoxicity

Contains a substance which causes risk of hazardous effects to the environment. This material is not expected to be harmful to aquatic life. No data available for this product.

### Persistence and degradability

No data is available on the degradability of this product

### Bioaccumulative potential

No data available.

### Mobility in soil

No data available

### Other adverse effects

No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation potential, endocrine disruption, global warming potential) are expected from this component.

## 13. Disposal considerations

### Disposal instructions

Collect and reclaim or dispose in sealed containers at licensed waste disposal site. Do not allow this material to drain into sewers/water supplies

### Local disposal regulations

Dispose in accordance with all applicable regulations.

### Hazardous waste code

The waste code should be assigned in discussion between the user, the producer and the waste disposal company.

### Waste from residues / unused products

Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see: Disposal instructions).

# Safety Data Sheet

## Waste Treatment Clay – C1182

SDS Revision Date:

5/20/2017

### Contaminated packaging

Empty containers should be taken to an approved waste handling site for recycling or disposal. Since emptied containers may retain product residue, follow label warnings even after container is emptied

## 14. Transport information

	DOT	IMDG	IATA
<b>14.1 UN/ID</b>	Not regulated	Not regulated	Not regulated
<b>14.2 Proper shipping name</b>			
<b>14.3 Hazard Class</b>			
<b>14.4 Packing Group</b>			

## 15. Regulatory information

### US federal regulations

#### OSHA Process Safety Standard:

This material is not known to be hazardous by the OSHA Highly Hazardous Process Safety Standard, 29 CFR 1910.119.

All components are on the U.S. EPA TSCA Inventory List.

**CERCLA/SARA Hazardous Substances**      Not applicable

**CERCLA Hazardous Substance List (40 CFR 302.4)**      Not listed.

#### Superfund Amendments and Reauthorization Act of 1986 (SARA)

Hazard categories	Immediate Hazard - No
	Delayed Hazard - No
	Fire Hazard - No
	Pressure Hazard - No
	Reactivity Hazard - No

**SARA 302 Extremely hazardous substance**      Not listed.

**SARA 311/312 Hazardous**      No

**SARA 313 (TRI reporting)**      Not regulated.

#### Other federal regulations

**Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List**      Not regulate

**Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130)**  
Not regulated

**Safe Drinking Water Act (SDWA)**      Not regulated.

**US state regulations**      WARNING: This product contains a chemical known to the State of California to cause cancer



# Safety Data Sheet

## Waste Treatment Clay – C1182

SDS Revision Date:

5/20/2017

### 16. Other information

**Health hazards**  
0

**Flammability**  
0

HMIS

**Physical hazards**  
0

**Personal Protection**  
0

Prepared By  
Revision Date

Product Stewardship  
May 27, 2017

Disclaimer

The information on this Safety Data Sheet (SDS) is based on the present state of our knowledge, current national legislation and guidelines. As the specific conditions of use of the product are outside the supplier's knowledge and control the user is responsible for ensuring that the requirements of relevant legislation are complied with. This SDS should not be construed as any guarantee of the technical performance or suitability for particular applications. UNLESS SUPPLIER AGREES OTHERWISE IN WRITING, SUPPLIER MAKES NO WARRANTIES, EXPRESS OR IMPLIED, AND DISCLAIMS ALL IMPLIED WARRANTIES INCLUDING WARRANTIES OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR USE OR FREEDOM FROM PATENT INFRINGEMENT. SUPPLIER WILL NOT BE LIABLE FOR ANY SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES.

End of Safety Data Sheet